

# Half Facepiece Respirators 5000 Series, Disposable


Issue Date 01/01/04

**Pre-assembled for convenience.  
Designed for comfort.**

3M™ Half Facepiece Respirators 5000 Series, Disposable are preassembled, have no spare parts and require no maintenance. They offer comfort, convenience and performance against certain organic vapors.


**Features/Benefits**

- Available in 3 sizes (small, medium, large) to comfortably fit many faces
- Ideally suited for:
  - intermittent respirator use
  - plant shutdowns and turnarounds
  - dirty applications where respirators become difficult to clean in a short time
- Resealable storage bag helps keep respirator clean between uses
- Low profile design provides wider field of vision and greater comfort while wearing goggles or glasses
- Lightweight design coupled with cradle suspension helps relieve pressure on back of neck and bridge of nose
- Can be combined with NIOSH N95, P95 and P100 filters for airborne particles



**3M™ Half Facepiece Respirators 5000 Series, Disposable**

Respirators per bag	Respirators per case
1	12



**⚠ WARNING**

These respirators help reduce exposure to certain airborne contaminants. Misuse may result in sickness or death. Before use, the wearer must read and understand *User Instructions* provided as a part of product packaging. Time use limitations may apply. For proper use, see supervisor, packaging or call 3M OH&ESD Technical Service, call 1-800-243-4630. In Canada, call 1-800-267-4414.

# 3M™ Half Facepiece Respirators 5000 Series, Disposable

## 3M™ 5000 Series Respirators

Product Number	NIOSH Approval*
<b>5101</b> (Small) <b>5201</b> (Medium) <b>5301</b> (Large)	Certain organic vapors (a)(b)
<b>5103</b> (Small) <b>5203</b> (Medium) <b>5303</b> (Large)	Certain organic vapors, chlorine, hydrogen chloride, and sulfur dioxide or hydrogen sulfide (escape only) or hydrogen fluoride (a)(b)
<b>5106</b> (Small) <b>5206</b> (Medium) <b>5306</b> (Large)	Certain organic vapors, chlorine, hydrogen chloride, chlorine dioxide, sulfur dioxide, hydrogen sulfide (escape only) ammonia/methylamine, formaldehyde or hydrogen fluoride (a)(b)(c)








\* For respiratory protection against listed contaminants up to 10X PEL.


## 3M™ 5000 Series Respirator Packout Assemblies

Product Number	NIOSH Approval*
<b>51P71</b> (Small) <b>52P71</b> (Medium) <b>53P71</b> (Large)	P95/Certain organic vapors (a)(b)
<b>51911</b> (Small) <b>52911</b> (Medium) <b>53911</b> (Large)	P100/Certain organic vapors (a)(b)
<b>51913</b> (Small) <b>52913</b> (Medium) <b>53913</b> (Large)	P100/Certain organic vapors, chlorine, hydrogen chloride, and sulfur dioxide or hydrogen sulfide (escape only) or hydrogen fluoride (a)(b)
<b>51916</b> (Small) <b>52916</b> (Medium) <b>53916</b> (Large)	P100/Certain organic vapors, chlorine, hydrogen chloride, chlorine dioxide, sulfur dioxide, hydrogen sulfide (escape only) ammonia/methylamine, formaldehyde or hydrogen fluoride (a)(b)(c)

- (a) All respirators and respirator/filter assemblies can be used up to the NIOSH approval limits, 10 times the permissible exposure limit, or the maximum use concentration allowable in applicable OSHA standards, whichever is lower.
- (b) For specific usage, limitations and warning information, see respirator and/or filter packaging, or call 3M OH&ESD Technical Service at 1-800-243-4630. In Canada, call 1-800-267-4414 or 1-800-267-1840, ext. 6137.
- (c) OSHA regulations require gas-proof goggles be worn with half facepiece respirators when used against formaldehyde.

## 3M™ Filters and Accessories

 15	 16	 17	 18	 19	 20	 21
<b>2071</b> P95 filter	<b>2091</b> P100 filter	<b>7093</b> P100 filter	<b>5N11</b> N95 filter (Use with the 501 filter retainer)	<b>5P71</b> P95 filter (Use with the 501 filter retainer)	<b>501</b> filter retainer (Use with the 5N11 and 5P71 filters)	<b>502</b> filter adapter (Use with the 2000 Series and 7093 filters)



### Quantitative Fit Test Respirators

3M™ Quantitative Fit Test Respirators are products that provide a simple, direct way to help meet OSHA fit testing requirements. They can be used with any 100 level particulate respirator to test face-to respirator seal. They help satisfy OSHA respiratory protection program requirements and are easily used during respirator training.

Product Number	Description	Packaging
<b>6100Q</b>	Probed Respirator Assembly, Small	4/Case
<b>6200Q</b>	Probed Respirator Assembly, Medium	4/Case
<b>6300Q</b>	Probed Respirator Assembly, Large	4/Case

**NOTE:** These devices are to be used exclusively for quantitative fit testing.  
**Do not use for respiratory protection.**

**For more information, please contact:**

**3M Occupational Health and Environmental Safety Division (OH&ESD)**

**In the U.S., contact:**

**Sales Assistance**

1-800-896-4223

**Technical Assistance**

1-800-243-4630

**Fax On Demand**

1-800-646-1655

**Internet**

<http://www.3M.com/occsafety>

**For other 3M products**

1-800-3M HELPS

**In Canada, contact:**

3M Canada Company, OH&ESD

P.O. Box 5757

London, Ontario N6A 4T1

**Sales Assistance**

1-800-265-1840, ext. 6137

**Technical Assistance (Canada only)**

1-800-267-4414

**Fax On Demand**

1-800-646-1655

**Internet**

<http://www.3M.com/CA/occsafety>

**Technical Assistance In Mexico**

01-800-712-0646

5270-2255, 5270-2119 (Mexico City only)

**Technical Assistance In Brazil**

0800-132333

**Fax On Demand O.U.S. Locations**

1-651-732-6530

**3M Occupational Health and Environmental Safety Division**  
3M Center, Building 235-2W-70  
St. Paul, MN 55144-1000