

37492  
37493  
37494  
37495

## DuraFlex Stretchable Harnesses

Feel the Difference!

*Patented Miller DuraFlex Harnesses feature specially-formulated elastomer webbing that stretches to:*

### Maximize Comfort

DuraFlex Harnesses conform to the shape of the worker, stretching with every movement, so there is no bunching, binding or kinking.

### Improve Safety

With comfort unsurpassed, DuraFlex Harnesses offer wider end-user acceptance. And, a comfortable harness is worn properly, enhancing compliance and safety on the jobsite.

### Increase Productivity

Because DuraFlex Harnesses are stretchable, the worker has greater mobility with less fatigue.



### FEATURES *(click to enlarge)*



All of Miller's premium harnesses are rated to 400 lbs. (181.4kg) capacity



Specially-formulated elastomer webbing that stretches to provide greater comfort, improved safety and increased productivity

Fully-adjustable harness design, along with the stretchable webbing, ensures proper fit without sacrificing comfort

Self-contained label pack encapsulates labels minimizing damage and loss. Integrated and oversized pull-free lanyard rings.

Soft and flexible D-ring back pad further enhances comfort

Sub-pelvic strap offers added support after a fall

Model	Sizes	Back D-Ring	Front D-Ring	Side D-Rings	Shoulder Strap Buckles	Leg Strap Buckles	Chest Strap Buckle	Sub-Pelvic Strap	Special Features
<b>DuraFlex Series 650</b>									
E650/UGN	U	Yes	Option	No	Friction	Mating	Mating	Yes	Pull-free lanyard rings / Belt loops
E650-4/UGN	U <span style="border: 1px solid black; padding: 2px;">37494</span>	Yes	Option	No	Friction	Tongue	Mating	Yes	Pull-free lanyard rings / Belt loops
E650-7/UGN	U	Yes	Option	Yes	Friction	Mating	Mating	Yes	Pull-free lanyard rings / Belt loops
E650-58/UGN	U <span style="border: 1px solid black; padding: 2px;">37495</span>	Yes	Option	Yes	Friction	Tongue	Mating	Yes	Pull-free lanyard rings / Belt loops
<b>DuraFlex Utility Harness</b>									
E752/UGN*	U	Web Loop	No	No		Mating	Mating	Yes	Chest strap adjustment / protective pads / Adjustable belt loops
E753/UGN*	U	Web Loop	No	No		Mating	Mating	Yes	Chest strap adjustment / protective pads / Adjustable belt loops / Self-rescue positioning loops
<b>DuraFlex Construction Harness</b>									
E650-77/UGN	U	Yes	Option	Yes	Friction	Tongue	Mating	Yes	Permanently-attached back pad
E650-78/UGN	U	Yes	Option	Yes	Friction	Mating	Mating	Yes	Belt loops / Removable body belt / Pull-free lanyard rings
<b>DuraFlex Tower Climbing Harness</b>									
E650-88/UGN	U	Yes	Yes	Yes	Friction	Mating	Mating	Yes	Attached body belt w/ two accessory rings / Back pad / Includes vest-style front D-ring
E650-89/UGN	U	Yes	Yes	Yes	Friction	Tongue	Mating	Yes	Pull-free lanyard rings / Includes vest-style front D-ring
<b>DuraFlex Ms. Miller® Harness</b>									
E570/URN	U	Yes	No	No	Friction	Mating	Mating	No	Front positioning loop / Back and leg pads / Pull-free lanyard rings
<b>DuraFlex Warehouse Picker's Harness</b>									

E850-2/UGN	U	Yes	No	No	Friction	Mating	Mating	Yes	Back D-ring web extension / Pull-free lanyard rings
------------	---	-----	----	----	----------	--------	--------	-----	---

### Other DuraFlex Harnesses

E550/UGN	U	Yes	Yes	No	Mating	Mating	–	Yes	Pull-free lanyard rings
E552/UGN	U	Yes	Yes	Yes	Mating	Mating	–	Yes	Pull-free lanyard rings
E850/UGN	U	Yes	No	No	Friction	Mating	Mating	Yes	Pull-free lanyard rings
E850-4/UGN	U	Yes	No	No	Friction	Tongue	Mating	Yes	Pull-free lanyard rings
E850-7/UGN	U	Yes	No	Yes	Friction	Mating	Mating	Yes	Pull-free lanyard rings
E850-58/UGN	U	Yes	No	Yes	Friction	Tongue	Mating	Yes	Pull-free lanyard rings

Model numbers listed are for universal size. Harnesses are also available in small/medium and XXLarge, by replacing the “U” in the model number with “**S/M**” or “**XXL**”.

Note: For front D-ring vest-style option, add “**FD**” to the corresponding harness model number (Ex: E650**FD**/UGN).

For greater chemical-resistant blue webbing, substitute “**BL**” for “GN” in the suffix of the corresponding harness model number (Ex: E650-7/**UBL**).