



MAIN | PRODUCTS | CONTACT US | LINKS

DURAPRIDE®

STOCK TANKS

MORE THAN A STOCK ANSWER TO WINTER WATERING PROBLEMS...

This tank was intentionally frozen at -40°F (-4°C). The "ice cube" popped out of our tapered tank and there was no sidewall cracking or chipping.

WHEN MOTHER NATURE DOESN'T GET THE JOB DONE, OUR BLUE OASIS™ TANKS DO...

We use hindered amine light stabilizers in our tank, the most effective protection against ultraviolet light. Our tanks resist color fading and age brittling even under relentless sun at 100°F (38°C) or more.



SEVERAL MODELS GIVE YOU LOTS OF OPTIONS...



MODEL PRE214: 50 GALLONS
G82260



MODEL 224BID: 100 GALLONS
with one built-in animal drinker



82240

MODEL PRE224: 95 GALLONS



82270

MODEL PRE226: 150 GALLONS



G82250

MODEL PR62: 400 GALLONS

Our Blue Oasis™ tanks are perfect for animal care as well as varied commercial use. FDA approved materials. One-year warranty against deficiencies in material and workmanship when used under normal conditions.

Related Links

COMPUTER AIDED DESIGN GIVES YOU LOTS OF FEATURES - [Click here to learn more](#)

Check out Pride of the Farm's Bottomless Stock Tanks

[Back to Pride of the Farm Products](#)



COMPUTER AIDED DESIGN GIVES YOU LOTS OF FEATURES


- Rounded corners and smooth edges provide safe drinking for all livestock.
- Uniform wall thickness and seamless construction - no leaks and no place for bacteria to hide.
- One inch (2.54 cm) drain plug opening is recessed for protection.
- Four notched flanges for easy anchoring.



For permanent installations, order optional Model 383344 stainless steel anchor package. Four anchor bolts, plates, washers and nuts (all stainless steel).



Drain easily plumbs down to 3/4" (1.91 cm) or any smaller diameter using fittings available at local plumbing outlets.




To anchor, use our optional USA Choice Stakes - Four 14" x .5" (3 cm x 1.3 cm) cuts. Order Model PS1



SMALL ANIMAL DRINKERS

Models PRE224, PRE226, and PR62 can be ordered with our small animal drinker as noted below. These models can also be retrofitted with our drinker. Order model SAND10 (one drinker, complete). Opening is 11.5" (29.2 cm) W, 13.5" (34.3 cm) H, 13.0" (33.0 cm) D.

**View the instruction sheet for the SAND10
Small Animal Drinker**



Download an electronic instruction sheet as an Adobe PDF file.

Best viewed at 125% Zoom

For the electronic instruction sheet version you will need Adobe Acrobat Reader Plug-in. If you do not have it you can download it for free at the [Adobe Acrobat Website](#)

SPECIFICATIONS


Model No.	Approx. Capacity		Size Inches (cm)			Nesting Data		Shipping Weight
	Gallons	Liters	Width	Length	Height	No. of Units In 96"	Incremental Height of 1 Unit	lbs. (kg)
82240 PRE224	95	360	28 (71.1)	51 (129.5)	24 (61.0)	13	6" (15.2 cm)	26 (11.8)
82270 PRE226	150	568	27 (68.8)	76 (193.0)	24 (61.0)	13	6" (15.2 cm)	42 (9.1)
G82260 PRE214	50	190	28 (71.1)	51 (129.5)	12 (30.5)	17	5" (12.7 cm)	16 (7.3)+
G82250 PR62	400	1514	77 (195.6)	78 (193.0 cm) DIA.	24 (61.0)	13	6" (15.2 cm)	66 (30.0)
150PP Automatic Float Valve	Easy to install. Just hang adjustable brackets over tank edge, capacity, 375 Gallons per Hour (1419 Liters per Hour). Use with pressure of up to 70 PSI. Plastic case and plastic float. Garden hose thread.							1.5 (.7)+
SAND10 Small Animal Drinker								13 (5.4)+

* Dimensions indicated are at the largest point.

+ Truck only. All models will accept caged heaters but check recommendations of heater manufacturer.

Small Animal Drinker Information: Our Model SAND10 Drinker and the drinker in model PRE224BID use our adjustable valve and float Model B78P. Units with one or more Model SAND10 Drinkers cannot be nested. Model PRE224BID can be nested and requires minimal assembly. The addition of one SAND10 Drinker decreases capacity by about 8 gallons (30.3 liters).

Model No.
PRE2241B PRE2262A
PRE2261A PRE2262B
PRE2261C PRE2262C



Model No.
PR621R
PR622R



[Previous Page](#) | [Back to Pride of the Farm Products](#)