

Highway Trucks and Buses

Ultraseal Application Chart

High speed (over 30 mph on Hwy)

**Always use the required amount of Ultraseal tire sealant in high speed tire applications. Balance tires before installing Ultraseal tire sealant.

* Not for use in motorcycle tires

** If your size is not listed, do not install Ultraseal

If you need additional assistance, please contact our technical services dept. at 1-800-874-4755



Size		Rim Size	Ounces		Liters	
15" Rims			Hwy	On/Off Road	Hwy	On/Off Road
15" Rims	7.50-15 TR, 7.50-15 NHS	25	32	0.73	0.94	
15" Rims	8.25-15 TR, 8.25-15 NHS	29	37	0.85	1.08	
15" Rims	9.00-15	28	36	0.84	1.07	
15" Rims	9.00-15 TR	33	42	0.98	1.25	
15" Rims	10.00-15 TR	37	47	1.09	1.4	
15" Rims	11.00-15 TR	40	51	1.19	1.52	
16" Rims			Hwy	On/Off Road	Hwy	On/Off Road
16" Rims	13.50/85-16	25	31	0.73	0.93	
16" Rims	13.50-16	52	66	1.52	1.95	
16" Rims	16.00-16	52	67	1.54	1.97	
16" Rims	38x20-16	69	88	2.04	2.62	
17" Rims			Hwy	On/Off Road	Hwy	On/Off Road
17" Rims	7.00-17	24	31	0.71	0.9	
17" Rims	7.50-17, 7.50R17	26	34	0.78	1	
17" Rims	8.25-17, 8.25R17	30	39	0.9	1.15	
17.5" Rims			Hwy	On/Off Road	Hwy	On/Off Road
17.5" Rims	215/75R17.5	25	32	0.73	0.94	
17.5" Rims	215/70-17.5	22	29	0.66	0.85	
17.5" Rims	235/70-17.5	26	33	0.76	0.98	
17.5" Rims	205/60-17.5	20	26	0.59	0.76	

Size		Rim Size	Ounces		Liters	
17.5" Rims			Hwy	On/Off Road	Hwy	On/Off Road
17.5" Rims	235/60-17.5	25	31	0.73	0.93	
17.5" Rims	8.50R17.5	25	32	0.73	0.94	
17.5" Rims	14-17.5, 14R17.5	45	58	1.34	1.71	
18" Rims			Hwy	On/Off Road	Hwy	On/Off Road
18" Rims	7.00-18	25	31	0.73	0.93	
18" Rims	7.50-18, 7.50R18	27	35	0.8	1.03	
19.5" Rims			Hwy	On/Off Road	Hwy	On/Off Road
19.5" Rims	225/70R19.5	26	33	2.78	3.56	
19.5" Rims	245/70R19.5	30	38	0.88	1.13	
19.5" Rims	265/70R19.5	32	42	0.96	1.23	
19.5" Rims	285/70-19.5	36	46	1.07	1.37	
19.5" Rims	305/70R19.5	40	52	1.19	1.52	
19.5" Rims	445/65R19.5	68	87	2.01	2.58	
19.5" Rims	8-19.5, 8R19.5	25	32	0.74	0.94	
19.5" Rims	9.00-19.5	29	38	0.87	1.11	
19.5" Rims	15-19.5, 15R19.5	56	72	1.65	2.11	
19.5" Rims	18-19.5, 18R19.5	71	90	2.09	2.67	
19.5" Rims	19.5-19.5, 19.5R19.5	81	103	2.38	3.05	

Highway Trucks and Buses

Ultraseal Application Chart

Size		Rim Size	Ounces		Liters	
20" Rims			Hwy	On/ Off Road	Hwy	On/ Off Road
20" Rims	10.00/90R20		41	52	1.2	1.54
20" Rims	395/85R20		67	86	1.98	2.53
20" Rims	365/80R20		58	74	1.7	2.18
20" Rims	11.00/80-20		38	49	1.14	1.46
20" Rims	13.00/80-20		49	63	1.44	1.85
20" Rims	14/80R20		53	68	1.58	2.02
20" Rims	14.75/80R20		59	76	1.76	2.25
20" Rims	15.5/80-20		65	83	1.91	2.45
20" Rims	375/75-20		51	65	1.5	1.92
20" Rims	425/75-20		75	95	2.2	2.82
20" Rims	15.50/70-20		62	79	1.82	2.33
20" Rims	405/70-20		51	65	1.51	1.93
20" Rims	14.00/70-20		50	63	1.47	1.88
20" Rims	17.50/65-20		70	90	2.07	2.65
20" Rims	7.00-20		26	33	0.76	0.98
20" Rims	7.20-20		23	30	0.69	0.88
20" Rims	7.50-20		29	37	0.85	1.09
20" Rims	8.25-20, 8.25R20		33	42	0.97	1.25
20" Rims	8.30-20		27	34	0.79	1.02
20" Rims	9.00-20, 9.00R20		38	48	1.12	1.43
20" Rims	10.00-20, 10.00R20		42	54	1.24	1.59
20" Rims	10.00-20ML		43	55	1.26	1.61
20" Rims	10.30-20		39	50	1.16	1.48
20" Rims	10.50-20		34	44	1.02	1.30
20" Rims	11.00-20		46	58	1.35	1.72
20" Rims	11.50-20, 11.50R20		46	59	1.36	1.74
20" Rims	12.00-20, 12.00R20		51	65	1.5	1.92
20" Rims	12.50-20		49	63	1.46	1.87
20" Rims	13.00-20, 13.00R20		57	73	1.69	2.17
20" Rims	13.50-20		52	67	1.54	1.97
20" Rims	14.00-20, 14.00R20		66	85	1.97	2.52
20" Rims	14.50-20		56	71	1.65	2.11
20" Rims	16.00R20		82	105	2.42	3.10

Size		Rim Size	Ounces		Liters	
20" Rims			Hwy	On/ Off Road	Hwy	On/ Off Road
20" Rims	19.50-20		77	98	2.27	2.90
21" Rims			Hwy	On/ Off Road	Hwy	On/ Off Road
21" Rims	14.00R21		66	85	1.97	2.52
21" Rims	14.50-21		71	91	2.11	2.70
21" Rims	16.00R21		82	105	2.42	3.10
21" Rims	18.00-21		77	98	2.26	2.90
21" Rims	23.00-21		110	141	3.26	4.18
22" Rims			Hwy	On/ Off Road	Hwy	On/ Off Road
22" Rims	8.30-22		28	36	0.83	1.07
22" Rims	9.50-22		34	44	1.01	1.30
22" Rims	10.00-22		44	56	1.3	1.66
22" Rims	11.00-22, 11.00R22		48	61	1.41	1.80
22" Rims	12.00-22		51	65	1.51	1.94
22.5" Rims			Hwy	On/ Off Road	Hwy	On/ Off Road
22.5" Rims	305/85R22.5		40	51	1.17	1.50
22.5" Rims	235/80R22.5		32	40	0.93	1.20
22.5" Rims	255/80R22.5		36	46	1.06	1.35
22.5" Rims	275/80R22.5		40	51	1.18	1.51
22.5" Rims	315/80R22.5		48	61	1.42	1.82
22.5" Rims	245/75R22.5		33	43	0.99	1.26
22.5" Rims	265/75R22.5		36	46	1.07	1.38
22.5" Rims	295/75R22.5		43	55	1.28	1.64
22.5" Rims	305/75R22.5		45	58	1.33	1.70
22.5" Rims	235/70-22.5		30	38	0.89	1.14
22.5" Rims	255/70R22.5		34	43	1	1.28
22.5" Rims	275/70-22.5		38	49	1.12	1.44
22.5" Rims	295/70-22.5		42	54	1.24	1.59
22.5" Rims	365/70-22.5		56	72	1.66	2.12
22.5" Rims	11.00/70-22.5		38	49	1.13	1.45
22.5" Rims	385/65R22.5		60	77	1.77	2.27
22.5" Rims	425/65R22.5		68	87	2.01	2.57
22.5" Rims	445/65R22.5		73	93	2.16	2.76
22.5" Rims	265/60-22.5		34	43	0.99	1.27
22.5" Rims	285/60-22.5		37	48	1.1	1.41

Size	Rim Size	Ounces		Liters	
		Hwy	On/ Off Road	Hwy	On/ Off Road
22.5" Rims		Hwy	On/ Off Road	Hwy	On/ Off Road
22.5" Rims	8-22.5, 8R22.5	27	35	0.8	1.03
22.5" Rims	9-22.5, 9R22.5	32	41	0.94	1.21
22.5" Rims	10-22.5, 10R22.5	37	47	1.09	1.40
22.5" Rims	11-22.5, 11R22.5	42	54	1.24	1.59
22.5" Rims	12-22.5, 12R22.5	46	60	1.37	1.76
22.5" Rims	12.50-22.5, 12.50R22.5	47	60	1.39	1.77
22.5" Rims	12.75-22.5, 12.75R22.5	48	62	1.43	1.83
22.5" Rims	13-22.5	53	67	1.56	1.99
22.5" Rims	15-22.5, 15R22.5	60	77	1.78	2.28
22.5" Rims	16.5-22.5, 16.5R22.5	69	88	2.03	2.60
22.5" Rims	18-22.5, 18R22.5	76	97	2.23	2.86
24" Rims		Hwy	On/ Off Road	Hwy	On/ Off Road
24" Rims	11.00-24	50	64	1.47	1.88
24" Rims	12.00-24	55	71	1.63	2.09
24" Rims	14.00-24, 14.00R24	72	92	2.13	2.72
24" Rims	17.80-24	86	111	2.55	3.27
24" Rims	18.00-24	118	151	3.49	4.47
24" Rims	18.30-24	110	141	3.27	4.18
24" Rims	20.00-24	108	138	3.19	4.08
24.5" Rims		Hwy	On/ Off Road	Hwy	On/ Off Road
24.5" Rims	275/80R24.5	42	54	1.24	1.59
24.5" Rims	285/75R24.5	42	54	1.26	1.61
24.5" Rims	305/75-24.5	47	60	1.39	1.78
24.5" Rims	11-24.5, 11R24.5	44	56	1.3	1.67
24.5" Rims	12-24.5, 12R24.5	49	62	1.44	1.84
24.5" Rims	13.5-24.5, 13.5R24.5	58	74	1.71	2.19