

MATERIAL SAFETY DATA SHEET

PDI - PROFESSIONAL DISPOSABLES, INC
THE HEALTHCARE DIVISION OF
NICE-PAK PRODUCTS, INC
TWO NICE-PAK PARK
ORANGEBURG NY 10962-1376
845-365-1700

REVISION DATE: 2/05

I. PRODUCT IDENTIFICATION

PRODUCT/TRADE NAME: POVIDONE IODINE SWAB/SCRUB/OINTMENT/PREP/SOLUTION
S23125, B40600, B40689, S41350, C12400, S41125, U22725, S41350, T37370, B40701, S48050, S82125, B23600, L57725, L57770, S41170

HAZARD RATING (NFPA)

HEALTH: 1
FLAMMABILITY: 0
REACTIVITY: 0
SPECIFIC: NONE

EMERGENCY OR INFORMATION TELEPHONE NO: 845-365-1700 (M-F DAYTIME) AT OTHER TIMES, CONTACT THE LOCAL POISON CONTROL CENTER

CHEMICAL NAME: MIXTURE

II HAZARDOUS INGREDIENTS PER 29 CFR 1910.1200

Hazardous Ingredients	%	ACGIH TLV	CAS NUMBER
POVIDONE IODINE COMPLEX	1/2 TO 3	NONE ESTABLISHED	2565 5418

II. PHYSICAL/CHEMICAL CHARACTERISTICS

COLOR/ODOR/APPEARANCE: APPLICATOR SATURATED WITH DARK REDDISH BROWN LIQUID. FAINT IODINE ODOR

BOILING POINT: N/A

FLASH POINT: > 200°

VAPOR DENSITY: N/A

EVAPORATION RATE: N/A

SOLUBILITY IN WATER: SOLUBLE

SPECIFIC GRAVITY (H₂O = 1):N/A

IV FIRE & EXPLOSION HAZARD DATA

FLASH POINT(Method Used): N/A LEL: N/A UEL: N/A

EXTINGUISHING MEDIA: ANY.

SPECIAL FIRE FIGHTING PROCEDURES: NONE

UNUSUAL FIRE AND EXPLOSION HAZARDS: MAY EMIT TOXIC FUMES OF IODINE IN A FIRE

V-REACTIVITY DATA

STABILITY: STABLE

CONDITIONS TO AVOID: N/A

INCOMPATIBILITY: ALKALIS AND REDUCING AGENTS

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: EMITS IODINE VAPORS AT HIGH TEMPERATURES

POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID: NONE KNOWN

POVIDONE IODINE SWAB/SCRUB, OINTMENT, PREP, SOLUTION

VI-HEALTH HAZARD DATA

EFFECTS OF OVER EXPOSURE:SKIN MAY CAUSE IRRITATION

EYES : MAY BE IRRITATING

INHALATION: NONE

INGESTION HARMFUL

EMERGENCY AND FIRST AID PROCEDURES:

SKIN CONTACT: DISCONTINUE USE IF RASH OR IRRITATION IS NOTED

EYE CONTACT: FLUSH WITH COOL WATER FOR 15 MINUTES

INHALATION: NONE

INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION

TARGET ORGANS; N/A

VII-SPILL AND DISPOSAL PROCEDURE

SPILL CONTROL: USE ABSORBENT MATERIAL AND DISPOSE PER LOCAL REGULATIONS

WASTE DISPOSAL METHOD: FOLLOW LOCAL, STATE AND FEDERAL REGULATIONS.

HANDLING AND STORAGE: AVOID STORING AT EXTREME TEMPERATURES

VIII-CONTROL MEASURES/PROTECTION

RESPIRATION: NONE

VENTILATION: NONE

PROTECTIVE GLOVES: IF HANDLING LIQUID

EYE PROTECTION: IF SPLASHING IS A HAZARD

HYGIENIC PRACTICES:GOOD HOUSEKEEPING PRACTICES SHOULD BE FOLLOWED.

OTHER: WEAR APRON TO PROTECT CLOTHING

IX TRANSPORT/SHIPPING

DOT SHIPPING NAME:

TECHNICAL SHIPPING NAME:

DOT SHIPPING CLASSIFICATION: DOT NOT REGULATED

DOT ID NO.:

DOT LABEL REQUIREMENTS:

UN/NA NUMBER REGULATIONS:

REPORTABLE QUANTITY:

X DISCLAIMER

THE INFORMATION FURNISHED HEREIN IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST DATA CURRENTLY AVAILABLE TO US. NO WARRANTY, EXPRESSED OR IMPLIED IS MADE AND NICE-PAK PRODUCTS, INC. ASSUMES NO LEGAL RESPONSIBILITY OR LIABILITY RESULTING FROM ITS USE.

MSDS

SECTION 1 - PRODUCT IDENTIFICATION

- Trade Name: Burnfree Hydrogel
- Chemical Type: Hydrogel (water-based gel) with preservative system

SECTION 2 - HAZARDOUS INGREDIENTS

- None

SECTION 3 - PHYSICAL DATA

- Physical State: Gel
- Appearance and Odor: Translucent gel - slightly medicinal odor
- Evaporation Rate: As for water
- Boiling Point: 195 Degrees Fahrenheit
- Freezing Point: 20 Degrees Fahrenheit
- % Volatile (by weight): Not Applicable
- Solubility in Water (20 Degrees Fahrenheit): Soluble
- pH: 5.5 - 7.0
- Specific Gravity: 1.02

SECTION 4 - FIRE AND EXPLOSION DATA

- Flammability: Non-flammable

SECTION 5 - REACTIVITY DATA

- Chemical Stability: Stable
- Incompatibility: None
- Hazardous Decomposition Products: None

SECTION 6 - TOXICOLOGICAL PROPERTIES

- Exposure Route:
 - Skin Contact: Irritant index below 5 and therefore classed as non-irritant
 - Eye Contact: Non-irritant or corrosive to eye
 - Inhalation Acute: Non-toxic
 - Inhalation Chronic: Non-toxic
 - Ingestion: Non-toxic

SECTION 7 - PREVENTATIVE MEASURES

- Personal Protective Equipment: Not required
- Eye Protection: Not required
- Leak and Spill Procedure: Soak up onto inert material or may be flushed to drain with copious amounts of water
- Storage Requirements: Protect from freezing

SECTION 8 - FIRST AID MEASURES

- Non-toxic, non-irritant

While BURNFREE Products believes the data set forth herein is accurate, the Company makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation and verification.

Date Prepared: January 2002. Date revised: January 2006

BURNFREE Products, 9382 South 670 West, Sandy, UT 84070, U.S.A.

**PDI - PROFESSIONAL DISPOSABLES, INC
HEALTHCARE DIVISION OF
NICE-PAK PRODUCTS, INC**

**TWO NICE-PAK PARK
ORANGEBURG NY 10962-1376
845-365-1700**

REVISION DATE: 8/03

I. PRODUCT IDENTIFICATION

PRODUCT/TRADE NAME: ALCOHOL PREP/SWAB - B15901, B33901, B33905, B33907, B92507, C29600, B60301, B99070, B60307, C69900, S84925, S81650, B59800, B33973, B60507, B05507, B80505, B77606, B00707, B05590

HAZARD RATING(NFPA)

HEALTH: 1

FLAMMABILITY: 3

REACTIVITY: 0

SPECIFIC: NONE

EMERGENCY OR INFORMATION TELEPHONE NO: 845-365-1700 (M-F DAYTIME) AT OTHER TIMES, CONTACT THE LOCAL POISON CONTROL CENTER

CHEMICAL NAME: ISOPROPYL ALCOHOL

II. HAZARDOUS INGREDIENTS PER 29 CFR 1910.1200

Hazardous Ingredients	%	ACGIH TLV	CAS NUMBER
2-PROPANOL	70	400 ppm	67-63-0

III. PHYSICAL/CHEMICAL CHARACTERISTICS

COLOR/ODOR/APPEARANCE: TOWELETTE/PAD/SWAB SATURATED WITH CLEAR LIQUID WITH ALCOHOL ODOR..

BOILING POINT: N/A

FLASH POINT: 78^o F

VAPOR DENSITY N/A

EVAPORATION RATE: N/A

SOLUBILITY IN WATER: COMPLETE

SPECIFIC GRAVITY (H₂O = 1):N/A

IV. FIRE & EXPLOSION HAZARD DATA

FLASH POINT(Method Used): 78^o F TAG CLOSED CUP : LEL: 2.0 UEL: 12.0

EXTINGUISHING MEDIA: DRY CHEMICAL OR ALCOHOL TYPE FOAM, CARBON DIOXIDE

SPECIAL FIRE FIGHTING PROCEDURES: HANDLE AS FLAMMABLE LIQUID. USE RESPIRATORY PROTECTION FOR FIRE FIGHTING PERSONNEL

UNUSUAL FIRE AND EXPLOSION HAZARDS: CLASS 3 FLAMMABILITY

V. REACTIVITY DATA

STABILITY: STABLE

CONDITIONS TO AVOID NONE

INCOMPATIBILITY: NONE

HAZARDOUS DECOMPOSITION OR BYPRODUCT: NONE

POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID: NONE

ALCOHOL PREP/SWAB

VI. HEALTH HAZARD DATA

EFFECTS OF OVER EXPOSURE:

SKIN IF RASH APPEARS, DISCONTINUE USE

EYES : WILL CAUSE EYE STING IF SPLASHED

INHALATION: NONE

INGESTION NOT A NORMAL ROUTE OF ENTRY

EMERGENCY AND FIRST AID PROCEDURES:

SKIN CONTACT: DISCONTINUE USE IF RASH OR IRRITATION OCCURS

EYE CONTACT: FLUSH WITH COLD WATER FOR 15 MINUTES

INHALATION: REMOVE TO FRESH AIR

INGESTION: INDUCE VOMITING. CALL PHYSICIAN

TARGET ORGANS; N/A

VII. SPILL AND DISPOSAL PROCEDURE

SPILL CONTROL: ELIMINATE ALL SOURCES OF IGNITION

WASTE DISPOSAL METHOD: FLUSH SPILLS WITH WATER. HANDLE AS FLAMMABLE LIQUID. FOLLOW LOCAL, STATE AND FEDERAL REGULATIONS.

HANDLING AND STORAGE: STORE AWAY FROM HEAT AND SOURCES OF IGNITION

VIII. CONTROL MEASURES/PROTECTION

RESPIRATION: USE IF PERMISSABLE EXPOSURE LEVEL IS EXCEEDED WHEN HANDLING BULK LIQUID

VENTILATION: RECOMMENDED

PROTECTIVE GLOVES: NONE REQUIRED

EYE PROTECTION: ONLY IF SPLASHING IS EXPECTED

HYGIENIC PRACTICES: GOOD HOUSEKEEPING PRACTICES SHOULD BE FOLLOWED.

OTHER: DON'T ALLOW LARGE QUANTITIES OF WASTE TO ACCUMULATE

IX. TRANSPORT/SHIPPING

DOT SHIPPING NAME: N/A

TECHNICAL SHIPPING NAME: N/A

DOT SHIPPING CLASSIFICATION: DOT-NOT REGULATED

DOT ID NO.: N/A

DOT LABEL REQUIREMENTS: N/A

UN/NA NUMBER REGULATIONS: N/A

REPORTABLE QUANTITY: N/A

X. DISCLAIMER

THE INFORMATION FURNISHED HEREIN IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST DATA CURRENTLY AVAILABLE TO US. NO WARRANTY, EXPRESSED OR IMPLIED IS MADE AND NICE-PAK PRODUCTS, INC. ASSUMES NO LEGAL RESPONSIBILITY OR LIABILITY RESULTING FROM ITS USE.

MATERIAL SAFETY DATA SHEET

Manufacturer's Name: ALTANA INC.
Divisions: E. FOUGERA & COMPANY DIVISION
 PHARMADERM DIVISION
Street Address: 60 BAYLIS ROAD
City, State, Zip Code: MELVILLE, NEW YORK 11747
Emergency Telephone No.: (800) 424-9300 , (631) 454-7677

SECTION 1: IDENTITY

Product Name:	Neomycin Sulfate, Polymyxin B Sulfates and Bacitracin Zinc Ointment and Ophthalmic Ointment USP
Synonyms:	"Triple" Antibiotic Ointment.
CAS #:	Not applicable.
Chemical Family:	Antibiotic Ointment
Formula:	Neomycin Sulfate Micronized USP Sterile, Polymyxin B Sulfate Micronized USP Sterile, Bacitracin Zinc Micronized USP Sterile, and White Petrolatum USP. Ophthalmic ointment also contains Mineral Oil USP.

SECTION 2: SAFETY and HAZARD RATINGS

Health (Acute-Chronic):	1-1	RATINGS
Flammability:	1	
Reactivity:	0	
Environment (Air-Water-Soil):	0-0-3	
Special Hazards:	Not indicated.	
Protective Equipment:	General ventilation, eye and hand wash.	
		Minimal 0
		Slight 1
		Moderate 2
		Severe 3
		Extreme 4

SECTION 3: EMERGENCY and FIRST AID PROCEDURES

Eyes:	Flush eyes with plenty of water for at least 15 minutes (non-ophthalmic form only).
Skin:	Wash thoroughly with soap and water.
Ingestion:	Give two glasses of water and induce vomiting if directed by medical personnel. Never give anything by mouth to an unconscious person.
Inhalation:	Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration.

CALL A PHYSICIAN
CONTACT A POISON CONTROL CENTER

SECTION 4: INGREDIENTS

NAME	CAS#	%	CARCINOGEN			HAZARD DATA	
			IARC	NTP	OSHA	ACGIH TLV	OSHA PEL
Neomycin Sulfate	1405-10-3		no	no	no	not established	
Polymyxin B Sulfate	1405-20-5		no	no	no	not established	
Bacitracin Zinc	1405-89-6		no	no	no	not established	
White Petrolatum	8009-03-8		no	no	no	not established	
Mineral Oil	8012-95-1		no	no	no	5mg/m ³ *	5mg/m ³ *

* as mist

SECTION 5: FIRE and EXPLOSION HAZARD DATA

Flash Point:	199°C (390°F) (closed cup) (97% Petrolatum Concentration)
Auto-ignition Temperature °F:	Not determined.
Flammable Limits in Air by Volume LEL:	Not determined.
UEL:	Not determined.
Extinguishing Media:	Alcohol Foam, Dry chemical, Carbon dioxide.
Special Fire Fighting Procedures:	Wear full protective clothing.
Unusual Fire and Explosion Hazards:	May emit toxic fumes.

SECTION 6: REACTIVITY DATA (PHYSICAL HAZARDS)

Stability:	<input checked="" type="checkbox"/> Stable <input type="checkbox"/> Unstable
Conditions and Chemicals to Avoid:	Avoid extreme heat, sparks, open flame, oxidizers, strong acids and alkalies.
Hazardous Combustion or Decomposition Products:	Carbon dioxide, Carbon monoxide.
Hazardous Polymerization:	<input type="checkbox"/> May Occur <input checked="" type="checkbox"/> Will Not Occur

SECTION 7: HEALTH HAZARDS

Primary Route(s) of Entry:	Dermal, Ingestion.
Signs and Symptoms of Exposure	
a. Overexposure Effects:	<ol style="list-style-type: none"> Allergy, kidney and liver impairment, dizziness, uncoordination, sensory loss, deafness, nausea, vomiting and diarrhea.
b. Chronic Effects:	<ol style="list-style-type: none"> May cause allergic reactions in susceptible individuals. <ol style="list-style-type: none"> Not likely due to the physical state of the product. Use only specified ophthalmic ointment in eyes. topical ointment will cause eye irritation. Non-toxic under standard application. May cause kidney, liver and gastrointestinal impairment; may induce dizziness, uncoordination, sensory loss and deafness. Allergic reaction in sensitive individuals.
<ol style="list-style-type: none"> Inhalation: Eyes: Skin: Ingestion: Medical Conditions Potentially Aggravated: 	

SECTION 8: SPECIAL PRECAUTIONS and SPILL/LEAK PROCEDURES

Precautions to be Taken in Handling/Storage:	Keep container closed when not in use. Store at controlled room temperature 15°-25°C (59°-77°F). Do not handle or store near heat, flame or oxidizers.
Hygienic Practices:	Wash thoroughly after handling. Use normal hygiene to protect hands, eyes and skin. Use general ventilation to protect your lungs., Do not wear contaminated clothing until thoroughly laundered.
When Material is Released or Spilled:	Assure slippery conditions are nullified. Add sand or dirt. Scoop up and remove. Wash area with soap and water. Dispose of in accordance with federal, state and local regulations.
Waste Disposal Methods:	Assure conformity with applicable disposal regulations. Dispose of absorbed material at approved incineration or chemical landfill waste disposal site.

SECTION 9: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	General ventilation.
Skin Protection:	Normal hygiene.
Eye Protection:	Normal hygiene.
Other Protective Clothing or Equipment:	As needed to prevent repeated/prolonged contact.

SECTION 10: CONTAINERS and LABELING

Special Precautions:	Keep container closed when not in use. Store at controlled room temperature 15°-25°C (59°-77°F).
Recommended Container:	As supplied (not sold in bulk quantity).
Protect the Container by:	Avoid physical damage and heat.
Container Should be Handled in an Area with:	Cool, dry conditions.
The Empty Container is:	Not reusable.
Precautionary Label:	Ophthalmic Ointment: Federal law prohibits dispensing without a prescription. For ophthalmic use only. (See package insert.)
Warning Placard:	Keep out of reach of children.
IMO Hazard Class #:	Not applicable.
UN/NA #:	Not applicable.
Hazard Classification:	Not applicable.
DOT Name:	Not applicable.
Shipping Instructions:	Keep away from extreme heat, flame and oxidizers.

SECTION 11: ENVIRONMENTAL RISKS

Aquatic Toxicity:	Not indicated.
Biodegradability:	Not indicated.
Partition Coefficient:	Not indicated.

SECTION 12: REGULATORY INFORMATION

Refer to the following references:	OSHA Regulations:	If respirator used, 29 CFR 1910.134
	DOT Regulations:	Not applicable.
	EPA Regulations:	Not applicable.
	Other:	FDA: 21 CFR 300.5 21 CFR 369.21
		NDC: 0168-0012-09 Ointment 0168-0012-35 Ointment 0168-0012-31 Ointment 0168-0027-38 Ophthalmic Ointment

SECTION 13: PHYSICAL DATA

Appearance and Odor:	A pale yellow ointment. Odorless.
Molecular Weight:	Not applicable.
pH:	Not determined.
Refractive Index @ 20°C:	Not determined.
Viscosity:	Not determined.
Boiling Point:	200°C (392°F)
Freezing/Melting Point:	58°C (136°F)
Congearing Point:	Not determined.
Vapor Pressure (mm Hg @ 20°C):	<1mm
Vapor Density (Air=1):	Not determined.
Solubility in Water:	Insoluble.
Solubility in Alcohol:	Practically insoluble.
Solubility in Oil:	Soluble.
Solubility in Other:	Most polar solvents.
Specific Gravity (H ₂ O=1):	0.85 @ 60°C
% Volatile by Volume:	0
Evaporation Rate (Ether=1):	0

Date of Preparation/Change:
March 16, 2005

Revision # 2

Replaces
November 29, 2001
previously known as Bacitracin Zinc-Neomycin
Sulfate-Polymyxin B Sulfate Ointment and
Ophthalmic Ointment

The information presented herein relates to the specific material described and may not be valid for this material used in combination with any other materials or in any process. This information is, to the best of our knowledge, accurate and reliable on the date compiled. We make no representation, warranty or guarantee as to its accuracy, reliability or completeness.

It is the reader's responsibility to ascertain whether the information supplied is suitable and complete for that person's specific uses. This Material Safety Data Sheet was prepared for ALTANA INC. by:

COMPLIANCE INNOVATIONS, INC.
706 Route 15 South, Suite 207
Lake Hopatcong, New Jersey 07849
973-663-1120 • fax 973-663-2378
helpdesk@chemply.com

MATERIAL SAFETY DATA SHEET

PDI - PROFESSIONAL DISPOSABLES, INC
THE HEALTHCARE DIVISION OF
NICE-PAK PRODUCTS, INC
TWO NICE-PAK PARK
ORANGEBURG NY 10962-1376
845-365-1700



REVISION DATE: 7/03

I. PRODUCT IDENTIFICATION

PRODUCT/TRADE NAME: BZK ANTISEPTIC TOWELETTE D35100

HAZARD RATING (NFPA)

HEALTH: 0
FLAMMABILITY: 0
REACTIVITY: 0
SPECIFIC: NONE

EMERGENCY OR INFORMATION TELEPHONE NO: 845-365-1700 (M-F DAYTIME) AT OTHER TIMES, CONTACT THE LOCAL POISON CONTROL CENTER

CHEMICAL NAME: MIXTURE

II HAZARDOUS INGREDIENTS

PER 29 CFR 1910.1200

<u>Hazardous Ingredients</u>	<u>%</u>	<u>ACGIH TLV</u>	<u>CAS NUMBER</u>
------------------------------	----------	------------------	-------------------

NONE. NO COMPONENTS OVER 1% OF FORMULATION

III PHYSICAL/CHEMICAL CHARACTERISTICS

COLOR/ODOR/APPEARANCE: TOWELETTE SATURATED WITH CLEAR, COLORLESS LIQUID.

BOILING POINT: N/A
FLASH POINT: NOT APPLICABLE
VAPOR DENSITY: N/A
EVAPORATION RATE: N/A
SOLUBILITY IN WATER: COMPLETE

SPECIFIC GRAVITY (H₂O = 1): 1.0

IV FIRE & EXPLOSION HAZARD DATA

FLASH POINT(Method Used): NOT APPLICABLE LEL: N/A UEL: N/A
EXTINGUISHING MEDIA: ANY
SPECIAL FIRE FIGHTING PROCEDURES: NONE
UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE

V-REACTIVITY DATA

STABILITY: STABLE
CONDITIONS TO AVOID: N/A
INCOMPATIBILITY: ANIONIC SURFACTANTS/SOAPS
HAZARDOUS DECOMPOSITION OR BYPRODUCT: NONE
POLYMERIZATION: WILL NOT OCCUR
CONDITIONS TO AVOID: NONE

BZK TOWELETTE

VI-HEALTH HAZARD DATA

EFFECTS OF OVER EXPOSURE:

SKIN NONE

EYES : MAY CAUSE DISCOMFORT

INHALATION: NONE

INGESTION NONE

EMERGENCY AND FIRST AID PROCEDURES:

SKIN CONTACT: DISCONTINUE USE IF RASH OR IRRITATION OCCURS

EYE CONTACT: FLUSH WITH COLD WATER IF SPLASHED IN EYES

INHALATION: NONE

INGESTION: NONE

TARGET ORGANS; NONE

VII-SPILL AND DISPOSAL PROCEDURE

SPILL CONTROL: RINSE INTO SEWER SYSTEM

WASTE DISPOSAL METHOD: FOLLOW LOCAL STATE AND FEDERAL REGULATIONS.

HANDLING AND STORAGE: NONE

VIII-CONTROL MEASURES/PROTECTION

RESPIRATION: NONE.

VENTILATION: NONE.

PROTECTIVE GLOVES: NONE

EYE PROTECTION: IF SPLASH POTENTIAL EXISTS

HYGIENIC PRACTICES:GOOD HOUSEKEEPING PRACTICES SHOULD BE FOLLOWED.

OTHER: NONE

IX TRANSPORT/SHIPPING

DOT SHIPPING NAME:

TECHNICAL SHIPPING NAME:

DOT SHIPPING CLASSIFICATION: DOT Not Regulated

DOT ID NO.:

DOT ;LABEL; REQUIREMENTS:

UN/NA NUMBER REGULATIONS:

REPORTABLE QUANTITY:

X DISCLAIMER

THE INFORMATION FURNISHED HEREIN IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST DATA CURRENTLY AVAILABLE TO US. NO WARRANTY, EXPRESSED OR IMPLIED IS MADE AND NICE-PAK PRODUCTS, INC. ASSUMES NO LEGAL RESPONSIBILITY OR LIABILITY RESULTING FROM ITS USE.

MATERIAL SAFETY DATA SHEET

Product Name: Instant Cold Compress
Product Code: VARIOUS

1 of 9

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Instant Cold Compress
Product Code: B503,FAO-ICE 4X5/JR,FAO-ICE6X9,ICP,ICP JR

For further information contact MSDS Coordinator
8am - 6pm Pacific Time, Mon - Fri: 888-88-Basic (22742)

EMERGENCY OVERVIEW

Emergency Telephone Numbers:

888-88-Basic (22742)
909-548-4828

Health Hazards: Dry chemical of cold compress is an eye and skin irritant. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Physical Hazards: Dry chemical is an oxidizer. Oxidizers can support combustion. Contact may increase flammability of other materials. Avoid contact with clothing and other combustible material.

< Physical Form: Solid/Liquid
< Appearance: White solid in water bag
< Odor: None

NFPA HAZARD CLASS:	Health:	1 (Slight)
	Flammability:	0 (Least)
	Reactivity:	3 (High)
	Other:	OXY (Oxidizer)

Issue Date: 07/23/04
Revised Sections: New MSDS

Status: Final New

2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>HAZARDOUS COMPONENTS</u>	<u>% Weight</u>	<u>EXPOSURE GUIDELINE</u>		
		<u>Limits</u>	<u>Agency</u>	<u>Type</u>
Ammonium Nitrate CAS# 6484-52-2	40-70	Not Established		

<u>OTHER COMPONENTS</u>	<u>% Weight</u>	<u>EXPOSURE GUIDELINE</u>		
		<u>Limits</u>	<u>Agency</u>	<u>Type</u>
Water CAS# 7732-18-5	30-60	Not Established		

Note: State, local or other agencies or advisory groups may have established more stringent limits. Consult an industrial hygienist or similar professional, or you local agencies, for further information.

3. HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS:

Eye: Eye irritant. Contact may cause stinging, watering, redness, and swelling.

Skin: Skin irritant. Contact may cause redness, itching, burning and skin damage. No harmful effects from skin absorption have been reported.

Inhalation (Breathing): Low to moderate degree of toxicity by inhalation.

Ingestion (Swallowing): Low to moderate degree of toxicity by ingestion.

Signs and Symptoms: Effects of overexposure may include irritation of the nose, throat and digestive tract; coughing, nausea, vomiting, diarrhea, abdominal pain, breathing difficulties, and blood disorders (methemoglobinemia).

Cancer: No data available.

Target Organs: No data available.

Developmental: Inadequate data available for this material.

Other Comments: This material contains nitrate salts. Nitrates may be reduced by intestinal bacteria to nitrite. When absorbed, nitrites may result in effects on the blood (methemoglobinemia) and blood vessels (vasodilating and a fall in blood pressure). Symptoms of toxicity may include headache, fainting, fatigue, cyanosis, confusion, irregular heartbeats, and possible respiratory paralysis. Pre-existing heart disease may be aggravated by exposure to nitrates.

Pre-Existing Medical Conditions: Conditions aggravated by exposure may include heart, blood vessel and skin disorders.

4. FIRST AID MEASURES

Eye: Move victim away from exposure and into fresh air. If irritation or redness develops, flush eyes with clean water and seek immediate medical attention. For direct contact, immediately hold eyelids apart and flush the affected eye(s) with clean water for at least 15 minutes. Seek medical attention.

Skin: Remove contaminated shoes and clothing, and flush affected area(s) with large amounts of water. If skin surface is damaged, apply a clean dressing and seek medical attention. If skin surface is not damaged, cleanse affected area(s) thoroughly by washing with mild soap or water. If irritation or redness develops, seek medical attention.

Inhalation (Breathing): If respiratory symptoms or other symptoms of exposure develop, move victim away from source of exposure and into fresh air. If symptoms persist, seek medical attention. If victim is not breathing, clear airway and immediately begin artificial respiration. If breathing difficulties develop, oxygen should be administered by qualified personnel. Seek immediate medical attention.

Ingestion (Swallowing): If swallowed, seek emergency medical attention. If victim is drowsy or unconscious and vomiting, place on left side with the head down and do not give anything by mouth. If victim is conscious and alert and ingestion occurred within the last hour, vomiting should be induced for ingestion of large amounts (more than 5 ounces in an adult) under direction from a physician or poison center. If possible, do not leave victim unattended and observe closely for adequacy of breathing.

Product Name: Instant Cold Compress
Product Code: VARIOUS

Page 4 of 9

Note to Physicians: Nitrates in large doses may cause significant vasodilation and hypotension. Pre-existing ischemic heart disease may be aggravated by these effects. In large ingestions nitrates may cause methemoglobinemia. Methemoglobinemia should be suspected if cyanosis occurs. Methylene blue (1-2 mg/kg I.V. over several minutes) is an effective antidote for symptomatic methemoglobinemia.

5. FIRE FIGHTING MEASURES

Flammable Properties: Flash Point: None
OSHA Flammability Class: Not applicable
LEL/UEL: No data
Autoignition Temperature: No data

Unusual Fire & Explosion Hazards: Oxidizer. The dry chemical of this material is an oxidizer and may increase inflammability of any combustible substance. It is the nature of oxidizers to provide their own oxygen source; smothering a fire may be ineffective. Nitrate salts support combustion under certain conditions. Ammonium nitrate is capable of detonation if heated under confinement or if subjected to strong shocks. Organic or other easily oxidizable matter can sensitize it to a more readily explodable state. Do not allow product to evaporate to dryness, especially in contact with combustible materials.

Extinguishing Media: Use water only. Do not use dry chemical, carbon dioxide or foam.

Fire Fighting Instructions: For fires beyond the incipient stage, emergency responders in the immediate hazard area should wear bunker gear. When the potential chemical hazard is unknown, in enclosed or confined spaces, or when explicitly required by DOT, a self-contained breathing apparatus should be worn. In addition, wear other appropriate protective equipment as conditions warrant (see Section 8). Isolate immediate hazard area and keep unauthorized personnel out. Stop spill/release if it can be done with minimal risk. Move undamaged containers from immediate hazard area if it can be done with minimal risk. Water spray may be useful in minimizing or dispersing vapors. Cool equipment exposed to fire with water, if it can be done with minimal risk.

6. ACCIDENTAL RELEASE MEASURES

The dry chemical of this material is an oxidizer. Keep all sources of

Issue Date: 07/23/04
Revised Sections: New MSDS

Status: Final New

ignition and hot metal surfaces away from spill/release. The use of explosion-proof equipment is recommended.

Stay upwind and away from spill/release. Notify person down wind of spill/release, isolate immediate hazard area and keep unauthorized personnel out. Stop spill/release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant (see Section 8). Prevent spilled material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural waterways. Dike far ahead of spill for later recovery or disposal. Spilled material may be absorbed into an appropriate absorbent material. Notify appropriate federal, state, and local agencies. Immediate cleanup of any spill is recommended.

7. HANDLING AND STORAGE

Handling: Do not enter confined spaces such as tanks or pits without following proper entry procedures such as ASTM D-4276 and 29CFR 1910.146. The use of appropriate respiratory protection is advised when concentrations exceed any established exposure limits (see Section 2 and 8). Wash thoroughly after handling. Do not wear contaminated clothing or shoes. Use good personal hygiene practice.

"Empty" containers retain residue and may be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury or death. Container should be disposed in an environmentally safe manner and in accordance with governmental regulations.

Before working on or in tanks which contain or have contained this material, refer to OSHA Regulations, ANSI Z49.1 and other governmental and industrial references pertaining to cleaning, welding, or other contemplated operations.

Storage: Use and store this material in cool, dry, well-ventilated areas away from heat and all sources of ignition. Post area "No Smoking or Open Flame." Solution is corrosive to copper, copper alloys, lead, and zinc. Store to avoid contact with incompatible materials such as ordinary combustibles, flammable liquids, greases, and those materials, including other oxidizers, that could react with the oxidizer or catalyze its decomposition (see Section 10). Prohibit accumulation of combustible waste in storage areas. Combustible construction materials that may be in contact with oxidizers shall be protected with a compatible coating to prevent impregnation of the combustible materials by

Product Name: Instant Cold Compress
Product Code: VARIOUS

Page 6 of 9

the oxidizers. Protect container(s) against physical damage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls: If current ventilation practices are not adequate to minimize exposure, additional ventilation or exhaust systems may be required.

Personal Protective Equipment (PPE):

Respiratory: A NIOSH/MSHA approved air purifying respirator with a N95 filter may be used under conditions where airborne concentrations are expected to exceed exposure limits (see Section 2). Protection provided by air purifying respirators is limited (see manufacturer's respirator selection guide). Use a positive pressure air supplied respirator if there is potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

Skin: The use of gloves impermeable to the specific material handled is advised to prevent skin contact, possible irritation, absorption, and skin damage (see glove manufacturer literature for information on permeability). Depending on conditions of use, apron and/or arm covers may be necessary.

Eye/Face: Approved eye protection to safeguard against potential eye contact, irritation, or injury is recommended. Depending on conditions of use, a face shield may be necessary.

Other Protective Equipment: A source of clean water should be available in the work area for flushing eyes and skin. Impervious clothing should be worn as needed.

9. PHYSICAL AND CHEMICAL PROPERTIES

Note: Unless otherwise stated, values are determined at 20°C (68°F) and 760 mm Hg (1 atm).

Flash Point: None

Flammable/Explosive Limits (%): LEL/UEL: No data

Autoignition Temperature: No data

Issue Date: 07/23/04
Revised Sections: New MSDS

Status: Final New

Product Name: Instant Cold Compress
Product Code: VARIOUS

Page 7 of 9

Appearance: White solid in water bag
Physical State: solid/Liquid
Odor: None
pH: No data
Vapor Pressure (mm Hg): No data
Boiling Point: No data
Freezing/Melting Point: No data
Solubility in Water: 100%
Specific Gravity: approx 1.3
Evaporation Rate (nBuAc=1): No data

10. STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions of storage and handling. Dry chemical is an oxidizer and may promote combustion in other materials.

Conditions To Avoid: This material may be an oxidizer. Do not heat above 250°F. Do not let dry chemical or solution dry or crystallize in contact with organic, reactive, or combustible materials (see Sections 7).

Incompatible Materials: Avoid contact with reactive, combustible, or organic materials, such as wood, grain, organic chemicals, acids, corrosive liquids, sulfur, flammable liquids, chlorates, permanganates, finely divided materials, charcoal, coke, cork, or sawdust. Avoid contact with other oxidizers. Contact with alkaline materials may liberate ammonia.

Hazardous Decomposition Products: Material will not burn, but if involved in a fire, oxides of nitrogen may be generated. Exposure to heat may liberate ammonia fumes.

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

No definitive information available on carcinogenicity, mutagenicity, target organs or developmental toxicity.

12. DISPOSAL CONSIDERATIONS

This material, if discarded as produced, may be a RCRA "characteristic" hazardous waste due to the characteristic(s) of ignitability (D001). If the material is spilled to soil or water, characteristic testing of

Issue Date: 07/23/04
Revised Sections: New MSDS

Status: Final New

Product Name: Instant Cold Compress
Product Code: VARIOUS

Page 8 of 9

the contaminated materials is recommended. To assure proper disposal, consult with state and local regulations and disposal authorities.

13. TRANSPORT INFORMATION

Hazard Class or Division: Not classified as hazardous.

14. REGULATORY INFORMATION

This material contains the following chemicals subject to the reporting requirements of **SARA 313** and 40 CFR 372.

<u>COMPONENT</u>	<u>CAS NUMBER</u>
------------------	-------------------

Ammonia (includes anhydrous ammonia and aqueous ammonia from water dissociable ammonium salts and other sources; 10 percent of total aqueous ammonia is reportable under this listing)	7446-41-7
--	-----------

Water dissociable nitrate compounds	None
-------------------------------------	------

Warning: This material contains the following chemicals which are known to the State of California to cause cancer, birth defects or other reproductive harm, and are subject to the requirements of **California Proposition 65** (CA Health & Safety Code Section 25249.5)

--None Known--

This material has not been identified as a carcinogen by NTP, IARC, or OSHA.

EPA (CERCLA) Reportable Quantity: --None--

15. DOCUMENTARY INFORMATION

Issue Date: 07/23/04
Previous Issue Date: None
Product Code: ICE1069

16. DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

The information in this document is believed to be correct as of the date issued. **HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE**

Issue Date: 07/23/04
Revised Sections: New MSDS

Status: Final New

Product Name: Instant Cold Compress
Product Code: VARIOUS

Page 9 of 9

IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assume the risk of his use thereof.

Issue Date: 07/23/04
Revised Sections: New MSDS

Status: Final New

MATERIAL SAFETY DATA SHEET

May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.	HMIS HAZARD RATING		
SAFETEC OF AMERICA	HEALTH	1	0 = INSIGNIFICANT 3 = HIGH
	FLAMMABILITY	1	1 = SLIGHT 4 = EXTREME
	REACTIVITY	0	2 = MODERATE
TRANSPORTATION INFORMATION			
PROPER SHIPPING NAME	Not Regulated		
HAZARD CLASS / PKG. GRP.	None / None		REF. Not Applicable
IDENTIFICATION NUMBER	None		LABEL None Required

SECTION 1 - PRODUCT / COMPANY IDENTIFICATION

IDENTITY (AS USED ON LABEL AND LIST)	Page 1 of 2
RED Z™	
MANUFACTURER'S NAME Safetec of America, Inc.	EMERGENCY TELEPHONE NUMBER (24 Hours) (800) 255-3924
ADDRESS (NUMBER, STREET, P.O. BOX) 887 Kensington Avenue @ William L. Gaiter Pkwy.	TELEPHONE NUMBER FOR INFORMATION (716) 895-1822
(CITY, STATE AND ZIP CODE) Buffalo, NY 14215	DATE PREPARED September 19, 2007 SUPERSEDES November 29, 2006

SECTION 2 - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

HAZARDOUS COMPONENTS (SPECIFIC CHEMICAL IDENTITY; COMMON NAME(S))	CAS #	% (wt.) (OPTIONAL)	OSHA PEL/STEL		ACGIH TLV/TWA/STEL	
			PPM	MG/M ³	PPM	MG/M ³
Sodium dichloro-s-triazinetriene	2893-78-9		None Established		None Established	
Superabsorbent polymer, CAS proprietary		> 97	5 (PEL)		5 (TLV)	

This product is not known to contain a substance subject to Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR 372 at or above minimal amounts.

SECTION 3 - HEALTH HAZARD DATA

ROUTES OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE	EMERGENCY AND FIRST AID PROCEDURES
EYES: May cause moderate irritation associated with redness and burning sensation.	Flush eyes with clear running water for a minimum of 15 minutes while holding eyelids open; if irritation persists, seek medical attention.
SKIN: Prolonged or repeated contact may cause skin irritation.	Flush with clear running water for a minimum of 15 minutes; if irritation persists, seek medical attention.
INGESTION: Ingested material may cause burning of mouth, throat and esophagus, abdominal distress and moderate irritation.	Drink large amounts of water. DO NOT induce vomiting. Seek immediate medical attention.
INHALATION: Breathing of dust may cause throat and respiratory tract irritation.	Remove to fresh air; seek medical attention if required.

HEALTH HAZARDS (ACUTE AND CHRONIC): Acute effects are possible irritation and discomfort; Chronic exposure to large amounts of this material has not been characterized and the irritating properties of the material make such an exposure highly unlikely.

CARCINOGENICITY	NTP?	No	IARC MONOGRAPHS?	No	OSHA REGULATED?	No
No additional information						

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Preexisting skin or breathing disorders may become aggravated through prolonged exposure.

MATERIAL SAFETY DATA SHEET

IDENTITY (AS USED ON LABEL AND LIST)

RED Z™

Page 2 of 2

Date: September 19, 2007

SECTION 4 - FIRE FIGHTING MEASURES

FLASH POINT (METHOD USED) Not Applicable	FLAMMABLE LIMITS (% Volume in Air for Lowest Flashing Component) LEL: Not Applicable UEL: Not Applicable
---	---

EXTINGUISHING MEDIA

Water, water spray, water fog

SPECIAL FIRE FIGHTING PROCEDURES

Use water spray to cool fire-exposed containers and structures. Wear NIOSH/MSHA approved self contained breathing apparatus.

UNUSUAL FIRE AND EXPLOSIVE HAZARDS

Spilled material swells and becomes extremely slippery when wet. Use standard safety precautions for finely divided powders. Thermal decomposition may emit chlorine containing substances.

SECTION 5 - PRECAUTIONS FOR SAFE HANDLING AND USE / LEAK PROCEDURES**STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED**

In case of accidental spills, provide adequate ventilation; avoid generating dust. Vacuum (using HEPA filter equipped system) if possible to avoid generating airborne dust. Place spilled material into a clean, dry container for disposal. Do not close disposal containers containing wet or damp material; they should be left open to disperse any chlorine gas that may form.

WASTE DISPOSAL METHODS

Dispose of in accordance with Local, State, and Federal regulations. Products classified as non-hazardous may become hazardous waste upon contact with other products. Refer to "40 CFR Protection of Environment Parts 260-299" for complete waste disposal regulations. Consult your Local, State, or Federal Environmental Protection Agency before disposing of any chemicals.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

Keep container(s) tightly closed when not in use. Store in cool, dry area. Keep this and other chemicals out of reach of children.

SECTION 6 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION Use NIOSH/MSHA approved or equivalent with high efficiency filter for particulate levels above 0.05mg/m ³	VENTILATION LOCAL EXHAUST: Recommended MECHANICAL (GENERAL): As appropriate
--	---

PROTECTIVE GLOVES Impervious/chemical resistant	EYE PROTECTION Safety glasses
--	----------------------------------

OTHER PROTECTIVE CLOTHING OR EQUIPMENT Ordinarily, none required	WORK / HYGIENIC PRACTICES Practice safe work habits. Use according to label instructions.
---	--

SECTION 7 - PHYSICAL / CHEMICAL PROPERTIES

BOILING POINT Not applicable	BULK DENSITY 43.7 – 51.8 lb./cu. ft.
VAPOR PRESSURE (mm Hg) Not applicable	MELTING POINT >482°F (partial to full decomposition)
VAPOR DENSITY (AIR=1) Not applicable	pH No data
SOLUBILITY IN WATER Slight	EVAPORATION RATE (n-BUTYL ACETATE=1) Not applicable
APPEARANCE AND ODOR Off-white, granular powder; slight chlorine odor	% VOLATILES (BY WEIGHT) Not applicable

SECTION 8 - STABILITY AND REACTIVITY

STABILITY UNSTABLE: STABLE: XXX	CONDITIONS TO AVOID High humidity, extreme temperatures
---------------------------------------	--

INCOMPATIBILITIES (MATERIALS TO AVOID)
Strong reducing agents.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

Decomposition will not occur if handled / stored properly. Thermal decomposition may emit toxic substances.

HAZARDOUS POLYMERIZATION MAY OCCUR: WILL NOT OCCUR: XXX	CONDITIONS TO AVOID None known
---	-----------------------------------

The information contained herein is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

MATERIAL SAFETY DATA SHEET

IDENTITY (AS USED ON LABEL AND LIST)

BioZide™ Disinfectant / Deodorant

Page 2 of 2

Date: November 29, 2006

SECTION 4 - FIRE FIGHTING MEASURES

FLASH POINT (METHOD USED) 71°F (TCC)	FLAMMABLE LIMITS (% Volume in Air for Lowest Flashing Component) LEL: 1.8 ND UEL: 9.5 ND
---	--

EXTINGUISHING MEDIA
Dry chemicals, water fog, foam, CO₂

SPECIAL FIRE FIGHTING PROCEDURES
Keep containers cool. Use of equipment or shielding required to protect against bursting or venting containers.

UNUSUAL FIRE AND EXPLOSIVE HAZARDS
Heated cans may burst.

SECTION 5 - PRECAUTIONS FOR SAFE HANDLING AND USE / LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED
Use absorbent sweeping compound to soak up material. Put into container. Dispose as hazardous waste.

WASTE DISPOSAL METHODS
Dispose of in accordance with Local, State, and Federal regulations. Products classified as non-hazardous may become hazardous waste upon contact with other products. Refer to "40 CFR Protection of Environment Parts 260-299" for complete waste disposal regulations. Consult your Local, State, or Federal Environmental Protection Agency before disposing of any chemicals.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE
Keep away from heat, sparks, or open flame. Store at temperatures below 120°F. Toxic to fish, birds and other wildlife.

SECTION 6 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION Use NIOSH approved respirator if TLV limit is exceeded.	VENTILATION LOCAL EXHAUST: Required MECHANICAL (GENERAL): Recommended
PROTECTIVE GLOVES None required if spraying.	EYE PROTECTION Safety glasses or goggles recommended.
OTHER PROTECTIVE CLOTHING OR EQUIPMENT Long sleeves and Long pants recommended.	WORK / HYGIENIC PRACTICES Do not smoke while using. Wash hands after use.

SECTION 7 - PHYSICAL / CHEMICAL PROPERTIES

BOILING POINT ND to 212°F	SPECIFIC GRAVITY (WATER=1) 0.8
VAPOR PRESSURE (mm Hg) NA	MELTING POINT Not applicable
VAPOR DENSITY (AIR=1) >1	PH Not available
SOLUBILITY IN WATER Soluble	EVAPORATION RATE (n-BUTYL ACETATE=1) <1
APPEARANCE AND ODOR Clear; Fragrant	% VOLATILES (BY WEIGHT) No data

SECTION 8 - STABILITY AND REACTIVITY

STABILITY UNSTABLE: STABLE: XXX	CONDITIONS TO AVOID Extreme temperatures; sources of ignition
---------------------------------------	--

INCOMPATIBILITIES (MATERIALS TO AVOID)
Strong oxidizers.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS
Decomposition will not occur if handled / stored properly. Thermal decomposition will emit carbon dioxide.

HAZARDOUS POLYMERIZATION MAY OCCUR: WILL NOT OCCUR: XXX	CONDITIONS TO AVOID Heat
---	-----------------------------

The information contained herein is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

MATERIAL SAFETY DATA SHEET - Insect Sting Relief**PDI - PROFESSIONAL DISPOSABLES INTERNATIONAL**

**THE HEALTHCARE DIVISION OF NICE-PAK PRODUCTS, INC
TWO NICE-PAK PARK
ORANGEBURG NY 10962-1376
845-365-1700
REVISION DATE: 7/00**

**I. PRODUCT IDENTIFICATION**

PRODUCT/TRADE NAME: INSECT STING RELIEF - B68789
HAZARD RATING (NFPA)
HEALTH: 1
FLAMMABILITY: 3
REACTIVITY: 0
SPECIFIC: NONE

EMERGENCY OR INFORMATION TELEPHONE NO: 845-365-1700 (M-F DAYTIME) AT OTHER TIMES, CONTACT THE LOCAL POISON CONTROL CENTER

CHEMICAL NAME: PROPRIETARY MIXTURE

II. HAZARDOUS INGREDIENTS PER 29 CFR 1910.1200

Hazardous Ingredients	%	ACGIH TLV	CAS NUMBER
SD ALCOHOL 40	60	1000 ppm	64-17-5
BENZOCAINE	6	NOT ESTABLISHED	94-09-7

III. PHYSICAL/CHEMICAL CHARACTERISTICS

COLOR/ODOR/APPEARANCE: TOWELETTE/PAD SATURATED WITH CLEAR COLORLESS LIQUID WITH ALCOHOL ODOR
BOILING POINT: N/A
FLASH POINT: 82°F
VAPOR DENSITY: N/A
EVAPORATION RATE: N/A
SOLUBILITY IN WATER: COMPLETE
SPECIFIC GRAVITY (H₂O = 1):0.905

IV FIRE & EXPLOSION HAZARD DATA

FLASH POINT(Method Used): 82° F (CC) LEL:N/A UEL:N/A
EXTINGUISHING MEDIA: DRY CHEMICAL OR ALCOHOL TYPE FOAM:
CARBON DIOXIDE
SPECIAL FIRE FIGHTING PROCEDURES: HANDLE AS FLAMMABLE LIQUID
UNUSUAL FIRE AND EXPLOSION HAZARDS: RESPIRATORY PROTECTION REQUIRED FOR FIRE FIGHTING PERSONNEL.

V-REACTIVITY DATA

STABILITY: STABLE
CONDITIONS TO AVOID: NONE KNOWN
INCOMPATIBILITY: NONE KNOWN

HAZARDOUS DECOMPOSITION OF BYPRODUCT: NONE KNOWN
POLYMERIZATION: WILL NOT OCCUR
CONDITIONS TO AVOID: NONE KNOWN

VI-HEALTH HAZARD DATA

EFFECTS OF OVER EXPOSURE:
SKIN: TOPICALLY APPLIED
EYES: WILL STING IF SPLASHED IN EYES
INHALATION: NONE KNOWN
INGESTION NONE

EMERGENCY AND FIRST AID PROCEDURES:

SKIN CONTACT: IF RASH OR IRRITATION DEVELOP, DISCONTINUE USE
EYE CONTACT: RINSE WITH COOL WATER
INHALATION: NONE
INGESTION: IF INGESTED, SEEK MEDICAL ATTENTION
TARGET ORGANS: NONE KNOWN

VII-SPILL AND DISPOSAL PROCEDURE

SPILL CONTROL: ELIMINATE ALL SOURCES OF IGNITION. ABSORB WITH
ABSORBENT MATERIAL.
WASTE DISPOSAL METHOD: PER LOCAL, STATE AND FEDERAL
REGULATIONS
HANDLING AND STORAGE: STORE IN TIGHTLY CLOSED CONTAINERS
AWAY FROM HEAT AND SOURCES OF IGNITION.

VIII-CONTROL MEASURES/PROTECTION

RESPIRATION: NONE REQUIRED
VENTILATION: NONE REQUIRED
PROTECTIVE GLOVES: YES. FOR BULK LIQUID
EYE PROTECTION: YES. FOR BULK LIQUID
HYGIENIC PRACTICES: FOLLOW GOOD HOUSEKEEPING PRACTICES
OTHER: NONE

IX-TRANSPORT/SHIPPING

DOT SHIPPING NAME: CONSUMER COMMODITY
TECHNICAL SHIPPING NAME: N/A
DOT SHIPPING CLASSIFICATION: "ORM-D"
DOT ID NO.: N/A
DOT LABEL; REQUIREMENTS: N/A
UN/NA NUMBER REGULATIONS: N/A
REPORTABLE QUANTITY: N/A

X-DISCLAIMER

THE INFORMATION FURNISHED HEREIN IS BELIEVED TO BE ACCURATE
AND REPRESENTS THE BEST DATA CURRENTLY AVAILABLE TO US. NO
WARRANTY, EXPRESSED OR IMPLIED IS MADE AND NICE-PAK PRODUCTS,
INC. ASSUMES NO LEGAL RESPONSIBILITY OR LIABILITY RESULTING
FROM ITS USE.